


GENERAL NOTES:

- LOT SHOWN IS DESIGNATED AS LOTS 37, 43 & 44 ON ASSESSORS MAP 3.
- OWNER OF RECORD: - 132 OLD FALL RIVER ROAD, LLC
128 BLUFF AVENUE
SWANSEA, MA 02777
- WETLANDS SHOWN AS APPROXIMATE FROM MASS GIS DATA.
- PROPERTY DOES NOT LIE WITH IN THE SEEKONK WATER DISTRICT WATER RESOUC E PROTECTION DISTRICT.
- PROPERTY LIES WITHIN A ZONE AE (EL 17) AS SHOWN ON FLOOD INSURANCE RATE MAP 25005C0218G DATED 7/16/2014.

ZONING DISTRICT:

INDUSTRY - "I"		
MINIMUM FRONTAGE	= 50'	
MINIMUM AREA	= 20,000 S.F.	
MINIMUM SETBACKS -		
FRONT	= 50'	
SIDE	= 20'	
REAR	= 20'	



- General Notes:**
- BEGIN AT THE LOCATION WHERE WATTLE IS TO BE INSTALLED BY EXCAVATING 2-3\"/>
 - PLACE THE WATTLE IN THE TRENCH SO THAT IT CONTOURS TO THE SOIL SURFACE. COMPACT SOIL FROM THE EXCAVATED TRENCH AGAINST THE WATTLE ON THE UPHILL SIDE. ADJACENT WATTLES SHOULD TIGHTLY ABUT.
 - SECURE THE WATTLE WITH 18-24\"/>
 - CONTRACTOR IS RESPONSIBLE TO REMAIN UNTIL SOIL CONDITIONS STABILIZE.
 - EROSION CONTROLS TO REMAIN UNTIL SOIL CONDITIONS STABILIZE.
 - LOOSE HAY TO BE SPREAD ON AREAS OF EXPOSED LOAM & SEED UNTIL GERMINATION AND STABILIZATION OCCURS.
- STRAW WATTLE (OR SILT SOCK) DETAIL**
NOT TO SCALE


NOTICE OF INTENT PLAN

"R&R STONE PRODUCTS"
110 OLD FALL RIVER ROAD, SEEKONK, MA
ASSESSORS MAP 3 LOT 37, 43 & 44

APPLICANT: MIKE ALBERNAZ
110 OLD FALL RIVER ROAD, SEEKONK, MA 02771

JOB # 17-055	SCALE: 1"= 40'	DRAWN BY: CEA	DATE: JULY 29, 2021
-----------------	-------------------	------------------	------------------------

REVISED: DECEMBER 13, 2021



PROFESSIONAL SEAL



InSite Professional Complex, Suite 1
1539 Fall River Avenue Seekonk, MA 02771
Phone: (508) 336-4500 Fax: (508) 336-4558
Web Address: InSiteEngineers.com

SHEET
1
OF 1